

THIS IS JUST A SCOPE OF WORK. PLEASE EMAIL PURCHASING@STPGOV.ORG FOR A COMPLETE PACKAGE.

Scope of work/Services

The Parish requires a Contractor to provide all labor and materials to remove and replace 33 linear feet of 29"x 42" CMP with 36 linear feet of 27" x 44" RCPA cross culvert, including 37 cubic yards of crushed concrete stone, starting 6" below the pipe to 8" below the top of asphalt installed in 12" lifts, 30 square yards of 8" LA DOTD Type 3 asphalt patch, including all saw cuts to remove original asphalt, one (1) 4' x 5' x 5' traffic rated catch basin and cast iron grate to accept two (2) 29" x 42" and one (1) 11" x 18" culvert, 8 lf of 11" x 18" RCPA culvert and 20 cubic yards of borrow to be placed over and around the pipe and catch basin. The Contractor shall also seed and fertilize all disturbed areas.

The location is as follows:

Intersection of Lavinghouse Road and Hwy 21, Bush, La.

The specifications for the catch basin are as follows:

The catch basin can be cast in place, constructed of concrete brick modules or pre cast from a manufacturer listed in the QPL. The lid shall be 8" thick, include a 24" x 24" cast iron grate and is to be set lower than the adjacent grade to allow water to drain. The catch basin dimensions are 4' x 5' wide with an invert of 5' from top of the casting and will accommodate two (2) 29" x 42" and one (1) 11" x 18" RCPA culvert. The work shall include all excavation, back fill and compaction of soil around the box. All work shall be performed in accordance with the LA DOTD Standard Specifications for Roads and Bridges, Section 706. The Contractor is responsible for verifying field dimensions. All debris is to be removed at no direct pay.

Measurements are approximate and to be verified by Contractor.

The work shall include all necessary signage, barricades and flagmen per LA DOTD Standard Specifications for Roads and Bridges, Section 713 and mobilization per Section 727.

The Contractor will have thirty (30) days to complete the project from the date stated in the Notice to Proceed issued by the Parish.

A Quote Guarantee **is not** required for this project.

Any work that may be reasonably inferred from the specifications or drawings as being required to produce the intended result shall be supplied whether or not it is specifically called for. Work, materials or equipment described herein which so applied to this project are covered by a well-known technical meaning or specification shall be deemed to be governed by such recognized standards unless specifically excluded.