

"This is only the scope of work for the project. For more information, interested parties should contact Procurement at purchasing@stpgov.org to ensure receipt of a full project package, to be listed as a plan holder and to ensure any addenda to the project package are received."

Scope of work/Services

Contractor will repair drainage at 51081 Pace Street (R08W008), Slidell, Louisiana 70461 (S18-T09-R15).

Provide, construct or install one (1) 3' x 3' traffic-rated catch basin with cast iron grate. Invert of the box shall be 34" from TOC. The basin shall be built to accommodate four (4) existing culverts, each entering from one side of the box. All work shall be done in accordance with the LA DOTD Standard Specifications for Roads and Bridges, Section 702, 2016 Edition.

Provide and install 26 square yards of full depth asphalt patch, 8" thick. Work shall include removing existing embankment and stone base that was installed over the culverts. Dimensions for the patch are 11' x 14.5' foot in the road way and a 12' x 12' turning radius. Asphalt is to be LA DOTD Type 3 mix and shall be installed per the LA DOTD Standard Specifications for Roads and Bridges, Section 501, 2000 Edition.

Provide and install sod to embankment over pipe placed by Parish and areas disturbed during construction. Provide all signage and barricades and all debris shall be removed at no direct pay.

Time period to complete the work shall be thirty (30) calendar days from issuance of the Notice to Proceed by the Parish. All supervision, labor, materials, supplies, equipment, tools, and permits required to complete the work shall be included in the lump sum quote.

A Quote Guarantee **is not** required for this project.

Any work that may be reasonably inferred from the specifications or drawings as being required to produce the intended result shall be supplied whether or not it is specifically called for. Work, materials or equipment described herein which so applied to this project are covered by a well-known technical meaning or specification shall be deemed to be governed by such recognized standards unless specifically excluded.