



## ST. TAMMANY PARISH

PATRICIA P. BRISTER  
PARISH PRESIDENT

**October 2, 2018**

Please find the following addendum to the below mentioned QUOTE.

**Addendum No.:** 1

**Quote#:** 305-00-18-36-1

**Project Name:** Slemmer Rd Drainage

**Quote Due Date:** Wednesday, October 10, 2018

### **GENERAL INFORMATION:**

---

1. Please remove "Attachment A – Specifications" and replace with "Attachment A – Specifications REVISED." (Attached)

### **ATTACHMENTS:**

---

1. "Attachment A – Specifications REVISED.pdf"

**End of Addendum # 1**

Across from 19509 Slemmer Rd.

Item	Description	Length	Width	Quantity	Unit
	<p><b>General Notes:</b></p> <ol style="list-style-type: none"> <li>1. Contractor shall field verify all quantities and measurements.</li> <li>2. Contractor shall be responsible for locating and protecting all existing utilities.</li> <li>3. Two-way traffic shall be maintained at all times during construction.</li> <li>4. Prior to beginning work, contractor will provide temporary signs and barricades at 0 direct pay: furnish, install, maintain and remove temporary signs, construction signs and / or barricades; and provide flagmen to comply with all other requirements regarding the projection of the work, workers and safety of the public. Work shall be done in accordance with LA DOTD Standard Specifications for Roads and Bridges, Sec. 713.</li> <li>5. Driveway aprons shall be tied-in to existing hard surfaced drives or extend two (2) feet behind the culvert, whichever is greater. For clarification purposes, tie-in new asphalt to existing asphalt/concrete aprons at no direct pay.</li> <li>6. All turning radii shall be a minimum of thirty-five (35) feet.</li> <li>7. All existing sewer lines shall be tied-in at no direct pay.</li> <li>8. For clarification purposes, tie-in new asphalt to existing asphalt aprons at no direct pay on existing gravel roads.</li> <li>9. Any <i>additional work</i> performed by the contractor <i>without prior written approval</i> from the St Tammany Parish Department of Engineering, the cost of the work will be borne by the contractor and will not be reimbursed by the Parish.</li> </ol>				
	<p><b>Project Summary:</b> Supply and install 18" A-2000 culvert, (3) catch basins and embankment to subsurface road at curve. Work shall also include removal and reinstallation of mailbox, installation of concrete drainage ends and the sowing seed and fertilizer to the disturbed areas.</p>				
727-01	<p><b>Mobilization:</b> All labor and materials necessary to accomplish preparatory work and operations, including those necessary for movement of personnel, equipment, supplies and incidentals to the project site. Mobilization costs shall follow rules called out in the LA DOTD Standard Specifications for Roads and Bridges, Sec. 727.</p>			1	Lump Sum

All Work Shall Conform to Louisiana Standard Specifications for Roads and Bridges, Latest Edition

Across from 19509 Slemmer Rd.

Item	Description	Length	Width	Quantity	Unit
702-03-00200	<b>4'x 4' Catch Basin and Cast Iron Grate:</b> All labor and materials to provide or build (3) 4' x 4' Traffic Rated Catch Basin with cast iron grate. Lid to catch basin shall be 8" thick and basin shall be set 2/10ths below existing grade. The Contractor shall grade around basins to promote drainage into box. All work shall be done in accordance with LA DOTD Standard Specifications for Roads and Bridge Sec. 702, 2016 Edition. All debris shall be removed at no direct pay.			3	Each
701-03-02020	<b>18" A-2000 Culvert:</b> All labor and materials necessary to provide and install 18" A-2000 culverts. Item shall include cutting the ends of the pipe at a 45 degree angle to match grade of embankment. All work shall be done in accordance with LA DOTD Standard Specifications for Roads and Bridges, Sec. 701, 2016 Edition. The Contractor shall give Centerpoint Energy 1 weeks' notice of installing pipe so they can lower an existing gas service crossing the ditch. All debris is to be removed at no direct pay.			78	Linear Foot
735-01-00100	<b>Remove and Reinstall Mailbox:</b> All labor and materials to remove mailbox, store and then reinstall. Contractor shall replace mailbox, post or parts in kind if items are damaged during construction. All work shall be done in accordance with the LA DOTD Standard Specifications for Roads and Bridges, Sec. 735, 2016 Edition. All debris shall be removed at no direct pay.			3	Each
702-06-01000	<b>Concrete Drainage End Treatment:</b> The contractor shall supply all labor and materials necessary to install (2) concrete end treatments on each side of culvert. End treatments are to start 6" below pipe and move up along the slope for 4'. Concrete width at the bottom is 4' and 8' at the top and it is to be 6" thick and be constructed of 3000 psi Type M concrete with fiber mesh. . All work shall be done in accordance with LA DOTD Standard Roads and Bridges, Section 702, 2016 Edition. The Contractor shall dispose of all debris at no direct pay.			2	Each
203-03-00100	<b>Embankment:</b> All labor and materials necessary to provide and install embankment over pipe. Work shall include all compaction and grading required. All work shall be done in accordance with the LA DOTD Standard Specifications for Roads and Bridges, Sec. 203, 2016 Edition. All debris shall be removed at no direct pay.			70	Cubic Yard

All Work Shall Conform to Louisiana Standard Specifications for Roads and Bridges, Latest Edition

Across from 19509 Slemmer Rd.

Item	Description	Length	Width	Quantity	Unit
717-01-00100	<b>Seed and Fertilizer:</b> All Labor and materials necessary to provide and sow seed and fertilizer to all disturbed areas. Ground shall be compacted, shaped and graded prior to placement of seed. All work shall be done in accordance with the LA DOTD Standard Specifications for Roads and Bridges, Sec. 717. All debris is to be removed at no direct pay.			1	<b>Lump Sum</b>

All Work Shall Conform to Louisiana Standard Specifications for Roads and Bridges, Latest Edition